Welcome to Cert007 - Your Ultimate IT Certification Partner

- Real Exam Questions
- Free Updates
- Expert Support
- Instant Access
- Money-Back Guarantee

Visit us at **https://www.cert007.com/** for more information

Exam : **D-PVM-DS-23**

Title : Dell PowerMax and VMAX Family Solutions Design 2023

Version : DEMO

1.A storage administrator uses Unisphere for PowerMax to provision new storage from a VMAX All Flash array.
Which Workload Type is recommended for a combination of small and large block I/O workloads?
A. DSS
B. Optimized
C. OLTP
D. None
Answer: B

2.Match each SnapVX term to its description.



Answer:



3.An architect uses the following command to collect data from a host when designing a solution in BCSD:
iostat –d –x –t interval count >> hostname.iostat.date.txt
What does the -x flag in the command represent?
A. Expanded format
B. Exclude space characters
C. Extended format
D. XML format
Answer: C

4.How do Copy mode linked targets and NoCopy mode linked targets behave when a SnapVX unlink operation disassociates the linked target?
A. Once the copy completes, Copy mode linked targets do not contain a full and usable copy of the source devices.
Behavior of NoCopy mode linked targets depends on the operating system running on the array.
PowerMaxOS 5978 and HYPERMAX OS 5977.810.184 and later allow access to unlinked targets.
B. Once the copy completes, Copy mode linked targets contain a full and usable copy of the source devices.
Behavior of NoCopy mode linked targets depends on the operating system running on the array.
PowerMaxOS 5978 and HYPERMAX OS 5977.596.583 and later allow access to unlinked targets.
C. Once the copy completes, Copy mode linked targets contain a full and usable copy of the source devices.
Behavior of NoCopy mode linked targets depends on the operating system running on the array.
PowerMaxOS 5978 and HYPERMAX OS 5977.810.184 and later allow access to unlinked targets.
D. Once the copy completes, Copy mode linked targets will contain a full and usable copy of the source devices.
NoCopy mode linked targets will not allow access to unlinked targets.
Answer: B

5.Which PowerMax initially ordered configuration provides the fewest available slots for front-end I/O modules per engine?
A. PowerMax 2000 dual-engine
B. PowerMax 8000 multi-engine
C. PowerMax 2000 single-engine
D. PowerMax 8000 single-engine
Answer: C