

Welcome to Cert007 - Your **Ultimate IT Certification Partner**



- Real Exam Questions
- Free Updates
- Expert Support

- Instant Access
- Money-Back Guarantee



Exam : FCP_FWB_AD-7.4

Title: FCP - FortiWeb 7.4

Administrator

Version: DEMO

- 1. When the FortiWeb is configured in Reverse Proxy mode and the FortiGate is configured as an SNAT device, what IP address will the FortiGate's Real Server configuration point at?
- A. IP Address of the Virtual Server on the FortiWeb
- B. Virtual Server IP on the FortiGate
- C. Server's real IP
- D. FortiWeb's real IP

Answer: B

- 2. Which HTTP response code is commonly used to indicate a permanent redirection in application delivery?
- A. 200 OK
- B. 301 Moved Permanently
- C. 404 Not Found
- D. 500 Internal Server Error

Answer: B

- 3. Which statement about local user accounts is true?
- A. They are best suited for large environments with many users.
- B. They cannot be used for site publishing.
- C. They must be assigned, regardless of any other authentication.
- D. They can be used for SSO.

Answer: B

- 4. Which action must you take with your FortiWeb logs to ensure Payment Card Industry Data Security Standard (PCI DSS) compliance?
- A. Keep all log files for at least one year.
- B. Store logs, unencrypted, in an off-site location for regulators to access.
- C. Erase all logs every two weeks.
- D. Encrypt all log and configuration files on an offline server.

Answer: A

- 5. When configuring a wireless network for dynamic VLAN allocation, which three IETF attributes must be supplied by the radius server? (Choose three.)
- A. 81 Tunnel-Private-Group-ID
- B. 65 Tunnel-Medium-Type
- C. 83 Tunnel-Preference
- D. 58 Egress-VLAN-Name
- E. 64 Tunnel-Type

Answer: ABE