Welcome to Cert007 - Your Ultimate IT Certification Partner

- Real Exam Questions
- Free Updates
- Expert Support
- Instant Access
- Money-Back Guarantee

Visit us at **https://www.cert007.com/** for more information

Exam : **RCNI**

Title : RUCKUS Certified Networking Implementer Exam

Version : DEMO

1.ICX reserves some VLAN IDs for system functions.
How many VLAN IDs are reserved?
A. 9
B. 7
C. 3
D. 5
Answer: D

2.A Wi-Fi access point is configured for management traffic on the default VLAN and a guest SSID on VLAN 10. The access point is connected to port 1/1/10.
What is the correct configuration?
A) vlan 1
no tagged ethernet 1/1/10
!
vlan 10
untagged ethernet 1/1/10
B) vlan 1
no untagged ethernet 1/1/10
!
vlan 10
tagged ethernet 1/1/10
C) vlan 10
tagged ethernet 1/1/10
D) vlan 10
no untagged ethernet 1/1/10
A. Option A
B. Option B
C. Option C
D. Option D
Answer: B

3.Which configuration steps will add untagged ethernet ports 1/1/1 and 1/1/2 and tagged ethernet port 1/2/1 to VLAN 10?
A. untagged ethernet 1/1/1 to 1/1/2 vlan 10
tagged ethernet 1/2/1 vlan 10
B. untagged ethernet 1/1/1 to 1/1/2
tagged ethernet 1/2/1
vlan 10
C. vlan 10
no tagged ethernet 1/1/1 to 1/1/2
tagged ethernet 1/2/1
D. vlan 10
untagged ethernet 1/1/1 to 1/1/2
tagged ethernet 1/2/1

Answer: D

4.Which device will become the root in the Spanning Tree election process?
A. the device with root guard enabled
B. the device with the highest IP address
C. the device with the lowest bridge ID
D. the device with the highest bridge priority value
Answer: D

5.The root bridge is connected to another switch over two independent 10Gbe links.
Which link will remain in a forwarding state on both sides?
A. the link with the lowest port number on the non-root switch
B. the link with the lowest port number on the root switch
C. the link with the highest port number on the root switch
D. the link with the highest port number on the non-root switch
Answer: B